



## **SAFETY DATA SHEET**

### **RETROGEL P**

<b>Ver.</b>	<b>Author</b>	<b>Reviewer</b>	<b>Approved</b>	<b>Date</b>	<b>Notes</b>
1	Jonatan Lehtinen			20/04/2020	Changed document layout

## Table of Contents

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING.....	3
2. HAZARDS IDENTIFICATION .....	3
3. COMPOSITION/INFORMATION ON INGREDIENTS.....	3
4. FIRST-AID MEASURES .....	4
5. FIRE-FIGHTING MEASURES.....	4
6. ACCIDENTAL RELEASE MEASURES .....	5
7. HANDLING AND STORAGE.....	5
8. EXPOSURE CONTROLS/PERSONAL PROTECTION.....	5
9. PHYSICAL AND CHEMICAL PROPERTIES.....	5
10. STABILITY AND REACTIVITY .....	6
11. TOXICOLOGICAL INFORMATION.....	6
12. ECOLOGICAL INFORMATION .....	6
13. DISPOSAL CONSIDERATIONS .....	7
14. TRANSPORT INFORMATION .....	7
15. REGULATORY INFORMATION .....	7
16. OTHER INFORMATION.....	7

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Name	Retrogel P
Use	Used for corrosion protection inside splash zone and subsea protection jackets
Supplier	Corrosion Control International Oy Veckjärventie 3 06150 Porvoo FINLAND
TELEPHONE	+358
FAX	+355
TELEPHONE: EMERGENCY USE ONLY	+358
TECHNICAL CONTACT	@corrosioncontrol.com

## 2. HAZARDS IDENTIFICATION

EC Classification	Not classified as dangerous according to EC Directive 67/548EEC
Hazards	Low acute toxicity under normal conditions of handling and use. May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT DESCRIPTION	A factory applied thixotropic hydrophobic gel used to provide primary corrosion protection inside Retrowrap jackets
---------------------	---

**HAZARDOUS INGREDIENT (S)**

INGREDIENT	CAS No.	%W/W	Hazard Symbol	Risk Phrases
Technical Petrolatum	8009-03-8	90	T	R45
Corrosion Inhibitor	-	10	T	R45 R65

Technical Petrolatum, Corrosion inhibitor contains <3% DMSO and <0.1% benzene and are not considered as carcinogens,

Notes, H, L, N, P

For full text of R phrases see section 16.

## 4. FIRST-AID MEASURES

Inhalation	Remove patient from exposure, keep warm and at rest. Obtain medical attention if ill effects occur.
Ingestion	Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint) of water to drink. Obtain medical attention if ill effects occur.
Skin Contact	If irritation occurs: Wash affected skin with soap and water. If symptoms persist, obtain medical attention.
Eye Contact	Irrigate with eyewash solution or clean water, holding the eyelids apart, for at least 15 minutes. If symptoms persist, obtain medical attention.
Further Medical Treatment	Symptomatic treatment and supportive therapy as indicated.

## 5. FIRE-FIGHTING MEASURES

General	Combustible. Thermal decomposition will evolve toxic and irritant vapors. See Also Section 10
Extinguishing Media	Foam, CO2 or dry powder. Water spray should be used to cool containers.
Unsuitable Extinguishing Media	Do not use water jet or water spray.

Fire Fighting Protective Equipment	A self-contained breathing apparatus and suitable protective clothing should be worn in fire conditions.
------------------------------------	--

## 6. ACCIDENTAL RELEASE MEASURES

Contain spillages. Transfer to a container for disposal.

## 7. HANDLING AND STORAGE

HANDLING	Avoid contact with eyes. Avoid prolonged skin contact.
STORAGE	Keep containers properly sealed when not in use. Keep away from heat and sources of ignition. Keep away from oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

General	Wear suitable protective clothing.
Respirators	Not normally required.
Eye Protection	Safety spectacles/Goggles.
Gloves	Wear suitable gloves if prolonged skin contact is likely.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These properties are the most relevant and no other properties are available

Form	Soft paste
Color	Tan
Odor	Oily hydrocarbon
Boiling point (°C)	>250
Specific Gravity	1.18
Flash point (°C)	>160
Vapor density (Air=1)	Negligible
Solubility (Water)	Negligible

## 10. STABILITY AND REACTIVITY

Stable under normal conditions.

Conditions to avoid	Strong oxidizing agents. (Liquid chlorine, pure oxygen, calcium hypochloride, Bromine, hydrogen peroxide and chromic acid.)
Hazardous Decomposition Product(s)	Combustion or thermal decomposition will evolve toxic and irritant vapors. (Smoke, carbon monoxide and various complex hydrocarbons.)

## 11. TOXICOLOGICAL INFORMATION

Inhalation	Unlikely, but inhalation of vapors generated by heating may produce symptoms of nausea, headache, fatigue and drowsiness.
Ingestion	Unlike route of exposure but may cause gastrointestinal irritation and diarrhea. Aspiration of small quantities following ingestion may cause pulmonary injury.
Skin Contact	May cause irritation.
Eye Contact	May cause irritation.
Long Term Exposure	Repeated or prolonged contact may cause defatting of the skin resulting in dryness, cracking and dermatitis.

## 12. ECOLOGICAL INFORMATION

Environmental Fate and Distribution	Insoluble in water.
Persistence and Degradation	The product is poorly biodegradable.
Toxicity	Unlikely to have ecotoxic or environmental toxic effect.

## 13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with local, state or national legislation.

## 14. TRANSPORT INFORMATION

Not classified as dangerous for transport.

## 15. REGULATORY INFORMATION

European Regulations	
Trade Name	Retrogel P
Company Identification	Corrosion Control International Oy Veckjärventie 3 06150 Porvoo FINLAND
Safety Phrases	S2: Keep out of the reach of children. S23: No not breathe vapor/spray. S24: Avoid contact with skin. S62: if swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
UK Control Regulations	Control of Substances Hazardous to Health Regulations (COSHH) 2002 SI 2002/2677 and COSHH Essentials: Easy steps to control chemicals – Control of Substances Hazardous to Health Regulations HSG193.

## 16. OTHER INFORMATION

Risk Phrases

R45: May cause cancer

R65: Harmful: may cause lung damage if swallowed

## Additional information

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Corrosion Control International gives no warranty as to the fitness of the product for any particular purpose and any implied warranty of condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Corrosion Control International accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective products, if proved), resulting from reliance on this information, Freedom under Patents, Copyright and Designs cannot be assumed.

## References

This data Sheet was prepared in accordance with EC Regulation (EC) no 1907/2006